

FLAGHEAD PHOTOGRAPHIC LTD

Jun-09

P.O. Box 6143
Poole, Dorset, BH12 9AS

E-mail: info@flaghead.co.uk
Tel: 01202 733 123

www.flaghead.co.uk
Fax: 01202 737 428

Quantum Battery 1 Compact

£ GBP
Retail Ex Vat

Model	Description	Model	Description	
QB1c	QB1 Compact Battery 6V NiMH cell, rechargeable power pack with UK charger. QB1c has two output sockets, one for "X" modules and one for "M" modules (see QB1+ accessories).			171.35
XA2	locking module	36.80	XCX	power cord for Contax 645
XB2	locking module	36.80	XK6	module for SB600
XB5	module type B5	36.80	XKZ3	locking module
XDC2	power cord for digital cameras	28.75	XVI	module type VI
XDC4	power cord for digital cameras	28.75	XZ2	locking module
XE	module type E	36.80	QBO	offset multi bracket
XE3	module for Metz 32Z series	48.30	QB24	UK 230 VAC charger
XE4	module for Metz 40M22	48.30	QB26	replacement 115 VAC charger
XF2	locking module	36.80	QB32	Aus/NZ charger 240 VAC
XF3	module type F3	36.80	QB35	vehicle charger
XG2	locking module	36.80	QB38	Euro/Scan. charger 230 VAC
Xi5	module type i5	36.80	QBC	mounting clamp

Notes: See QB1+ Modules & Accessories for "M" type modules with longer cables & more accessories

Accessories for Bantam Battery

Model	Description	Model	Description	
BEX	2-6 ft coiled extension for Bantam Modules	29.90	BR1	replacement 115 VAC charger
BQA	adapts QB1 / QB1+ modules to Bantam	29.90	BR3	Aus/NZ charger 240 VAC
BQB	adapts Bantam modules to QB1 / QB1+	36.80	BR4	Euro/Scan. charger 230 VAC
			BR5	UK 230 VAC charger
			BCLIP	replacement case clip
			BCLSK	screw knob assy. for BCLIP

Notes: See QB1 Compact for "X" type modules, all of which work with the Bantam battery.

Quantum Battery 1+

Model	Description	Model	Description	Retail	Ex. Vat
QB1+	Quantum Battery 1+ 6V lead cell, rechargeable power pack with UK charger				194.35
MA2	locking module	45.43	Mi5	module type i5	50.60
MB2	locking module	45.43	MKZ3	locking module	50.60
MB5	module type B5	50.60	ML	module type L	50.60
MC	module type C	77.05	MVI	module type VI	56.35
MCX	power cable for Contax 645	28.75	MZ2	locking module	51.75
MDC2	power cable for Digital Cams	28.75	QB22	10' extension for QB1 / QB1+ modules	36.80
MDC4	power cable for Digital Cams	28.75	QB24	UK 230 VAC charger	42.55
ME	module type E	50.60	QB26	replacement 115 VAC charger	32.20
ME3	module for Metz 32Z series	50.60	QB32	Aus/NZ charger 240 VAC	33.35
ME4	module for Metz 40M22	50.60	QB34	fast charger 115 VAC	113.85
MF2	locking module	50.60	QB35	vehicle charger	85.10
MF3	module type F3	50.60	QB38	Euro/Scan. charger 230 VAC	39.10
MG2	locking module	50.60	QBC	mounting clamp	29.90
MH	module type H	51.75	QB60	Shoulder Strap	21.85

QUANTUM BATTERY 2

Retail Ex Vat

QB2	Quantum Battery 2 9V lead cell, rechargeable power pack with UK charger				228.85
Model	Description		Model	Description	
MDC3	power cable for Digital Cams	28.75	QB27	replacement 115 VAC charger	32.20
MDC5	power cable for Kodak Digital	28.75		(QB2 s/n 211833-215329)	32.20
MM	module for Metz 45CT/45CL	51.75	QB28	replacement 115 VAC charger	32.20
MN	module for Nissin-see chart	65.55		(all other QB2 s/n)	
MN2	module for Nissin-see chart	65.55	QB29	UK 230 VAC charger	39.10
MP	module for Pentax AF400T	65.55	QB33	Aus/NZ charger 240 VAC	33.35
MS	module for Sunpak-see chart	50.60	QB36	vehicle charger	81.65
MY	power cable for Mamiya RZ67 Pro 11 & 645 Pro cameras	36.80	QB37	fast charger 115 VAC	113.85
QB23	10' extension for QB2 modules	41.40	QB39	Euro/Scan. charger 230 VAC	39.10
			QBC	mounting clamp	29.90

Accessories for QUANTUM BATTERY 5+

Model	Description		Model	Description	
DCK	cable -Kodak/Canon Dig Cam	86.25	RA-0	power cord without module attached	28.75
QB22	10' ext for QB5 adpt cables	36.80	RA16	vehicle charger	90.85
HB30	replacement 115 VAC charger	36.80	PS	Shoulder strap, heavy duty	34.50
HB32	Euro charger 230 VAC	33.35	QBC	mounting clamp	29.90

Chargers for QUANTUM BATTERY 5 ONLY

QB50	replacement 115 VAC charger	36.80	QB52	Japan charger only	39.10
QB51	Euro charger 230 VAC	37.95	QB53	UK Charger 230 VAC	39.10

TURBO Compact & Slim COMPACT Battery

TC	Turbo Compact Battery				382.95
TSC	Turbo Slim Compact Battery				382.95
TAC	Turbo AC mains powered Turbo				382.95
YDC30	cable for Canon D30,D60,10D, 20D	50.60	CCV	short cable Vivitar and Armatar see flash chart	35.65
YDC100	cable for Nikon D100, D70	36.80	CCZ	short cable for Canon - see flash chart	35.65
YDC1	cable for Nikon D1, D1X, D1H	36.80	TCRUS	replacement 100-240v charger	41.40
YDC3	cable for Kodak 720X, 760	33.35	TCRE	Euro/Scan. Charger 100-240v	47.15
YDC5	cable- see digital chart	33.35	TCRA	Aus/NZ charger 100-240 VAC	47.50
YDC6	cable for Canon 1D, 1Ds, Mark II	67.85	TCRUK	UK 100-240v charger for TC & TSC!!	47.50
YDC8	cable for Kodak Pro 14n	33.35	QT48	dual connector for	70.15
YDC10	cable for Nikon D2H	67.85	TCV	Vehicle charger TC & TSC	TBA
XDC2	cable- see digital camera chart	28.75	QT49	10' extension cord for	47.15
XDC4	cable- see digital camera chart	28.75	QB60	Shoulder strap	21.85
CCK	short cable Nikon-see CK cable	35.65	QMC	Multi clip	8.05
CCKE	short cable Nikon-see chart	35.65	ES1	for Viv 285HV;Metz 45CL1,3,4 & 45CT 3,4;Hasselblad 4504	5.75
CCM4	short cable Metz-see CM4 cable	35.65	ES2	for Canon 430EZ, 540EZ, 550EX Nikon SB24, SB25	5.75
CCM5+	short cable Metz-see CM5+ cbl	41.40			
CCS4	short cable Sunpak-see chart	35.65			
CCS5	short cable Sunpak-see chart	35.65			

Notes: Turbo Compact also uses same flash cables as Turbo Battery!

Accessories for QUANTUM TURBO Z

Retail Ex Vat

Model	Description	Model	Description		
QZRUS	replacement 115 VAC chgr	33.35	QZRJ	Japan charger only	41.40
QZRA	Aus/NZ charger 240 VAC	41.40	QZRUK	UK 230 VAC charger	41.40
QZRE	Euro/Scan. charger 230 VAC	41.40	QZU	Turbo Z universal charger	48.30

NOTE: Turbo Z uses same cables as Turbo Battery

QUANTUM TURBO 2X2 BATTERY

T2X2	Quantum Turbo 2X2 Battery			491.05	
	325V NiMh rechargeable power pack incl. 100-240 VAC charger				
Model	Description	Model	Description		
SD2	cable- see digital chart	33.35	SD16	cable- Leaf Valeo & Aptus backs	43.70
SD4	cable- see digital chart	33.35	TRUS	replacement 100-240v charger	42.55
SD6	cable- see digital chart	33.35	TRE	Euro/Scan. charger 100-240v	48.30
SD8	cable- see digital chart	33.35	TRA	Aus/NZ charger 100-240v	48.30
SD10	cable- see digital chart	33.35	TRUK	UK charger 100-240v	48.30
SD12	cable- Sinar backs plus all 12v items	43.70	TRV	vehicle charger	81.65
SD14	cable- 12v female vehicle adapter cell phones, PDA's	43.70	QB60	Shoulder Strap	21.85

NOTE: T2X2 uses same digital and flash cables as Turbo battery!

QUANTUM TURBO BATTERY

QTB	Quantum Turbo Battery			382.95	
	325V lead cell rechargeable power pack with UK charger				
Model	Description	Model	Description		
CA	cable for Armatar-see chart	65.55	CS5	cable for Sunpak-see chart	39.10
CD30	cable for Canon D30,D60,10D, 20D	62.10	CS6	cable for Sunpak 622	63.25
CD100	cable for Nikon D100, D70, D200	56.35	CV	cable for Vivitar and Armatar- see chart	39.10
CD1	cable for Nikon D1,1X,1H	56.35	CZ	cable for Canon - see chart	39.10
CD3	cable for Kodak 720X, 760	33.35	QT40	replacement 115 VAC charger	33.35
CD5	cable- see digital chart	33.35	QT42	Euro/Scan. charger 230 VAC	39.10
CH	cable for Honeywell- see chart	47.15	QT43	Aus/NZ charger 240 VAC	39.10
CK	cable for Nikon SB11, SB24 SB25, SB26, SB28-US	39.10	QT44	Japan charger 100 VAC	39.10
CKE	cable for Nikon-see chart	39.10	QT45	UK 230 VAC charger	39.10
CL3	cable for Minolta 360PX	39.10	QT46	vehicle charger	85.10
CL4	cable for Minolta 4000AF	39.10	QT47	faster charger 115 VAC	113.85
CL5	cable for Minolta - see chart	39.10	QT48	dual connector for powering two flashes	70.15
CM1	cable for Metz 45CT-1,-5	39.10	QT49	10' extension cord for Turbo cables	47.15
CM4	cable for Metz 45CL1,3,4 &	39.10	QB30	Shoulder Strap	21.85
CM58	cable for Metz 58	43.70	QBC	mounting clamp	29.90
CM54	cable for Metz 54MZ-3-4-4i	43.70	ES1	for Viv 285HV;Metz 45CL1,3,4 & 45CT 3,4;Hasselblad 4504	4.60
CM5+	cable for Metz - see chart	47.15	ES2	for Canon 430EZ, 540EZ, 550EX	4.60
CN3	cable for Vivitar 3900	39.10			
CO3	cable for Olympus T32, T45	39.10			
CS4	cable for Sunpak-see chart	39.10			

QUANTUM QFLASH DIGITAL

Retail Ex Vat

QFT5d-R	Qflash T5d-R Requires any type of Turbo battery for power.	573.85
'QFX5d-R	'Qflash X5d-R Powered by Quantum QPAQ-X, Lumedyne or Norman 200 or Norman 400 Ws power packs.	649.75
Both models offer full TTL & wireless TTL modes for many digital and film cameras, Automatic Fill Mode, Automatic Sensor Limit, Quick Turn off and many Program Modes		
NX	QNEXUS IR Receiver for Qflash, for use with Nikon & Canon IR remote flash system	140.30

NEW: Qflash TRIO

Model	Description	
QF8C	Qflash TRIO . Shoe mount Flash-Canon version. Requires any Turbo battery for power.	675.00
QF8N	Qflash TRIO . Shoe mount Flash-Nikon/Fuji version. Requires any Turbo battery for power.	675.00
QF9C	Qflash PILOT . Canon version. Powered by Turbo battery or AA cells.	299.00
QF9N	Qflash PILOT . Nikon version. Powered by Turbo batteries or by AA cells.	299.00
CQ8		39.10
CCQ8	Short Power Cable-TRIO	39.10

QTTL ADAPTERS for QFLASH

D22w-R	Nikon N90s, F100, F5, D1, D1H, D1X, D100, D2H, D2X, D2	113.85
D23w-R	Canon EOS1, EOS3, D30 D60, 10D, 20D, EOS1D, 1Ds, Mark II, Rebel 300D	113.85
D24	Contax 645	99.00
D25	Mamiya 645AF, 645AFD	113.85
D19w	Hasselblad H Series	113.85

QFLASH T ACCESSORIES & POWER CABLES

Model	Description	Model	Description
QF30	replacement flashtube 46.00	QT48	dual connector for powering 70.15
QF30uv	optional flashtube, UV coated 54.05		two Qflash with Turbo
QF36T	remote Qflash T/T2 head 8' cord 124.20	QT49	Turbo ext cord, 10ft. (3m) 47.15

QFLASH MODEL X ACCESSORIES & POWER CABLES

QF32	replacement flashtube 63.25	QF41	Adapts QFX to Norman 400B 64.40
QF32uv	optional flashtube, UV coated 72.45	QF42	Adapts QFX to Lumedyne 64.40
QF33	replacement modeling lamp 16.10		power packs.
QF36X	remote Qflash X/X2 head 8' cord 138.00	QF43	Straight ext cord, 16ft. (5m) 64.40
QF40	Adapts QFX to Norman 200B/C 64.40		

ACCESSORIES FOR all Qflash Models

QF60B	spare reflector 29.90	QF65	clear UV filter kit for Qflash 14.95
QF61B	"snoot " for pinpoint lighting 23.00	QF66	colour gel pack 24.15
QF62Bs	bare bulb enhancer- silver 29.90	QF67A	wide angle diffuser 29.90
QF62Bg	bare bulb enhancer- gold 29.90	QF68	12x12 Qflash Softbox 58.65
QF63B	telephoto reflector-inc QF63s 71.30	QF69	Softbox-Diffusor 8x8" 54.63
QF63s	flashtube spacer for QF63 29.90	QF70E	quick release " L " bracket 94.30
QF64	diffusing UV filter kit for Qflash 14.95	QF70US	camera/flash flip bracket 113.85
QF80	UV-IR reflector, holds filters 58.65	QF72	Qflash Multi Bracket 41.40
		QF73	"L" Bar only from QF72 21.85

CONTROL CABLES FOR QFLASH

Retail Ex Vat

Model	Description	
QF50	cable to slave two Qflashes together. 20ft. (6m)	32.20
QF51	extension cable, male to female, 20ft. (6m). To extend QF50, 52, 53 cables, TTL adapters, or QF21. Maximum length 100ft. (30m) using 5 QF51 cables.	32.20
QF52	"Y" connector module needed for third Qflash connected, & each one thereafter. required for a TTL adapter or remote sensor when used with two or more Qflashes.	47.15
QF53	hot shoe sync adapter. syncs Qflash via hot shoe on camera.	47.15
536	sync cord, coiled 18" (.5m), PC to household male	26.45
537	sync cord, coiled 5ft. (1.5m), PC to household male	27.60

TTL ADAPTERS AND REMOTE SENSOR FOR QFT, QFX & DIGITAL QFLASH

QF11	Minolta X : X700, X500, X570, CLE, Maxxum- 5000, 7000, 9000	71.30
QF12	Nikon : FA, FG, FE2, F100 , N2000, N2020, F301, F4, F4S, F401, F401S, N4004, F5 , F501, F601, F601M, N60 , N6000, N6006, N70 , F801, N8008, N90, N90S Fuji : FinePix S1 Pro	78.20
QF14	750, 850, 1000, 1000F, RT, T90 ,Rebel, Rebel S, Elan, Elan 2, Elan 2E Minolta Xi : Dynax & Maxxum - 3000i, 3700i, 5000i, 700i, 7000i, 8000i, 8700i; 3Xi 5Xi, 7, 7Xi, 9, 9Xi, SPXi, Dimage RD 3000 Digital Camera	78.20
QF15	Contax : RTS II, RTS III, MD137, MA137, 139, 159MM, 167MT, G1, G2	72.45
QF16	Leica : R5, RE, R6, R6-2, R7	72.45
QF17	Pentax : SFX, SFXn, SF1, SF1n, SF7, SF10, Z1, Z10, PZ1, PZ10, LX(with finder shoe) Super A, 645, 645N	71.30
QF18	Rollei : SL2000f, 3001, 3003, SL66e, SL66x, SL66se, SL6006 , 6002, 6003, 6008 / i, 2.8GX	146.05
QF19	Hasselblad : 500ELX, 503CW/CX/CXI, 553ELX, 555ELD, 201F, 202FA, 203FE, 205TCC/FCC	167.90
QF20	Bronica : ETRsi, SQAi	192.05
QF21	Remote Sensor : shoe mount with live sync contacts	132.25
QF22	Mamiya : 645 Pro TL	192.05
QF23	Leica : R8	192.05
QF24	Contax : 645	146.05
QF25	Mamiya : 645AF, 645AFD	192.05

QUANTUM QPAQ-X

PX	QPAQ-X Command Module. Power pack for the Qflash X, X2, X2D & X4d. 200 Ws, two outputs, capacity gauge & normal or ultra fast recycling button. A PB1 or PB2 battery is needed to power a Command Module. QPAQ-X shoulder strap included. Charger not included.	526.70
PXC	200 WS. Add-on Module	156.40
PB1	Hi-Performance battery	228.85
PB2	Compact Battery	194.35

QPAQ-X ACCESSORIES

Model	Description	Model	Description	
PAC	AC module, requires charger	186.30	PR1UK UK 230 VAC charger	41.40
PDC	dual battery adapter, requires charger	186.30	PR1A AUS/NZ 240 VAC Charger	41.40
PPM	pole mount for lightstand	41.40	PR2 QPAQ universal charger	102.35
PS	QPAQ shoulder strap	35.65	PR3A 240v fast chg- A/NZ PAC /PDC	46.00
PCL	Lumedyne adpt cbl-Qpaq-X	54.05	PR3E 230v fast chg- E/S PAC / PDC	46.00
PR1US	115 VAC charger	35.65	PR3UK 230v fast chg- UK PAC / PDC	46.00
PR1E	Euro/Scan. charger 230 VAC	41.40	PR3US 115V fast chgr-PAC/PDC ONLY	47.15
			PR4 Universal AC Power Supply	307.05
			PRV vehicle charger	79.35

FREEXWIRE**Retail Ex Vat**

FW10W	FreeXWire Digital Transceiver	221.95
FW11	Uni-Mod universal connector module with hot shoe contact	54.05
FW12	Hot shoe adapter for FW10W & FW9T	42.55
FW89	FreeXWire Digital Set , 1 x FW9T & 1 x FW8R	300.15
FW9T	FreeXWire Transmitter	171.35
FW8R	FreeXWire receiver	171.35
FW7Q	Receiver for Qflash	133.40
FW25	Camera Mount for FW9T/FW10W	21.85

FREEXWIRE WIRELESS TTL ADAPTERS

Model	Description	
FW52	wireless TTL adapter for Nikon	83.95
FW53N	wireless TTL adapter for Canon	83.95
FW57	wireless TTL adapter for Pentax	83.95
FW59	wireless TTL adapter for Hasselblad	83.95
FW60	wireless TTL adapter for Bronica	83.95
FW64	wireless TTL adapter for Contax 645	83.95
FW65	wireless TTL adapter for Mamiya 645AF	83.95

See also QTTL Adapters for T2D and X2D Qflash

FREEXWIRE CABLES - MISC

XDC2	external power connection from Bantam or QB1c to FreeWire	28.75
MDC2	external power connection from QB1, 1+, or QB1c to FreeWire	28.75
FW26	Multi Clip - enables FreeWire to be clipped to your belt or accessory bracket	8.05
FW29	ac external adapter, US & Canada, 115 vac	27.60
FW33	Y connector for FreeWire TX to connect a TTL adapter plus a local Qflash and FW31 cable	47.15

FREEXWIRE AND RADIO SLAVE SYNC CORDS

Model	Description	Model Compatibility				
		405	505	505i	FW10	
434	1.5ft. (.5m) replacement sync-in cord	yes	no	no	yes	24.15
435	4ft. (1.2m) coiled sync_in cord	yes	no	no	yes	24.15
470	special sync-in cord for Hasselblad "C" lens	yes	no	no	yes	29.90
534	1.5ft. (.5m) coiled sync cord - PC male to household male (twin prong)	no	yes	yes	yes*	26.45
536	household male (twin prong) 1.5ft. (.5m) coiled sync cord - PC male to household male (twin prong with center pin) - for 505S/Si s/n E888 & above	no	yes	yes	yes*	26.45
537	5ft. (1.5m) coiled sync cord - PC male to household male (twin prong with center pin) for 505S/Si s/n E888 & above	no	yes	yes	yes*	27.60
539	12 inch (.3m) straight replacement sync cord - PC male to household male (twin prong with center pin) - for 505S/Si s/n E888 & above	no	yes	yes	yes*	26.45
540	sync-out cord- Qflash sync household to household	no	yes	yes	yes [®]	26.45
541	sync-out cord- Qflash sync household to mini phono	yes	no	no	yes [®]	26.45
570	special sync cord for Hasselblad "C" lens	no	yes	yes	yes*	26.45

FREEXWIRE AND RADIO SLAVE SYNC CORDS

Retail Ex Vat

Model	Description	Model Compatibility				
		405	505	505i	FW10	
QF53	hot shoe sync adapter. syncs 505S via hot shoe of camera	no	yes	yes	yes*	41.00
FW20	sync-in cord 18"(.5m), PC male to FreeWire accessory connector	no	no	no	yes	26.00
FW21	hot shoe sync 18" (.5m), hot shoe to FreeWire accessory connector	no	no	no	yes	32.00
FW22	hot shoe sync 18" (.5m), hot shoe to FreeWire sync-in	no	no	no	yes	41.00
FW31	ext cable 18" (.5m), FreeWire accy connector to Qflash or Uni-mod accy connector	no	no	no	yes	26.00

[®] For sync-out requires optional FW11 Uni-Mod

FREEXWIRE AND RADIO SLAVE MOTOR DRIVE CORDS

Model	Description	Model Compatibility				
		405	505	505i	FW10	
451	Nikon MD2/4/12/15, 8008, 8008s, F4S, [N90, N90S, F5 (needs Nikon adapter MC25)]	yes	yes	yes	yes	51.75
452	Hasselblad ELM, ELX	yes	yes	yes	yes	51.75
453	H'blad H1, Canon, Olympus, Bronica SQAM, ETR MD	yes	yes	yes	yes	51.75
454	Mamiya RZ67, RZ67 II, 645 Super, 645 Pro	yes	yes	yes	yes	87.40
456	Leica R3, R5, R6, R6-2, R7, RE	yes	yes	yes	yes	87.40
458	Minolta 5000, 7000, 9000, 5000i, 7000i, 8000i, 5Xi, 7Xi, 9Xi, 700si, Maxxum - 7,9	yes	yes	yes	yes	87.40
459	Canon EOS A5, A2E, A2, 1, 1N, 620, T90, Rebel 300D	yes	yes	yes	yes	87.40
463	Bronica SQAI	yes	yes	yes	yes	51.75
464	Rollei 6008, 6006, 6003, 6002, SLX	yes	yes	yes	yes	51.75
465	Hasselblad 503CW /CXI Motor Drive Cord	yes	yes	yes	yes	39.10
466	Canon EOS-3, 1V, D30, D60, 10D, 1D, 1Ds, 1D Mark II	yes	yes	yes	yes	87.40
467	Mamiya 645AF	yes	yes	yes	yes	64.40

FREEXWIRE AND RADIO SLAVE MOTOR DRIVE CORDS

Model	Description	Model Compatibility				
		405	505	505i	FW10	
FW41	two step MD cord for Hasselblad H1, Contax 645, Canon Elan 2, 2E, 7, 7E, Rebel 2000, XI Lite, Rebel 300D	no	no	no	yes	32.20
FW42	two step MD cord for Maxxum 7, 9	no	no	no	yes	87.40
FW43	two step MD cord for Canon 1v, 3, D2000, D30, D60, 10D, 1D, 1Ds, 1D Mark II	no	no	no	yes	75.90
FW44	two step MD cord for Nikon D1, D1H, D1X, D2H, F5, N90/s, F90x, F100 / Kodak DCS 760	no	no	no	yes	66.70
FW45	two step MD cord for Mamiya 645AF	no	no	no	yes	66.70
FW46	two step MD cord for Canon EOS 1, A2, A2E, AS, 1N, 620, T90	no	no	no	yes	66.70
FW47	two step MD cord for Pentax 645N & All Autofocus SLR Cameras except Z-1p	no	no	no	yes	66.70

MISCELLANEOUS ACCESSORIES FOR FREEXWIRE AND RADIO SLAVE

Model	Description	Model Compatibility				
		405	505	505i	FW10	
415	AC adapter / charger for 505R or 405R, 115 VAC	yes	yes	no	no	28.75
438	replacement belt clip for 405T transmitter	yes	no	no	no	9.20
511	replacement belt clip for 505S sender	no	yes	no	no	11.50
512	replacement dead shoe mounting kit for mounting 505Si to bracket or tripod	no	no	yes	no	8.05
513	Adjustable Pole Mount Adapter for Radio Slave 2, 4, 4i, FW	yes	yes	yes	yes	18.40
515	AC adapter (US) for 505Ri	no	no	yes	no	28.75
516	AC adapter (220 VAC) for 505Ri	no	no	yes	no	28.75
538	replacement belt clip for 505Si sender	no	no	yes	no	4.60

RADIO SLAVE 4i

Retail Ex Vat

505SRi	Radio Slave 4i Set set includes : 505Si Sender & 505Ri Remote, belt clip, sync cord, mounting kit, instruction manual, less batteries (specify frequency only to match existing set).	297.85
505Ri	Radio Slave 4i Remote (Receiver) unit includes : shoe / tripod mount adapter, pole mount adapter, velcro, instruction manual, less batteries. SPECIFY FREQUENCY A, B, C, or D	205.85
505Si	Radio Slave 4i Sender (Transmitter) unit includes : sync cord, belt clip, dead shoe with screw (for bracket mounting), velcro, mounting plate. SPECIFY FREQUENCY A, B, C, or D	151.80

PHOTOMETERS

Model	Description	
PME	PHOTO-METER E digital foot-candle meter	219.65
PML	PHOTO-METER L digital lux meter	219.65
PMEX	PHOTO-METER EX digital foot-candle / foot-lambert meter	430.10
PMLX	PHOTO-METER LX digital lux meter / Candela/M ² (NITS) meter	430.10

ACCESSORIES FOR PHOTO-METERS

Model	Description	
PM10	rigid fiber optic probe - must be calibrated with meter	83.95
PM11	illuminance receptor, rotating - must be calibrated with meter	83.95
PM12	flexible fiber optic probe - must be calibrated with meter	301.30
PM13	luminance receptor for models PME, PML (must be calibrated to meter)	27.60
HC2	soft case	39.10

All prices shown are exclusive of Vat.

Prices and specifications are subject to change without notice.

E & OE OCTOBER2008

Visit www.flaghead.co.uk

Visit www.qtm.com